EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1	("702"/$.ccls. "703"/$.ccls. "348"/$.ccls. "349"/$.ccls. "73"/$.ccls. "324"/$.ccls. "700"/$.ccls. "714"/$.ccls. "716"/$.ccls.) and (creat$3 with good with part) and (creat$3 with defect $3 with parts) and (test$3 with part with unknown with defect) and (vector with component) and (product$3 with probability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 23:38
L4	1	("702"/$.ccls. "703"/$.ccls. "348"/$.ccls. "349"/$.ccls. "73"/$.ccls. "324"/$.ccls. "700"/$.ccls. "714"/$.ccls. "716"/$.ccls.) and (creat$3 with good with part) and (creat$3 with defect $3 with parts) and (test$3 with part with unknown with defect) and (vector with component) and (product$3 with probability)	US-PGPUB	OR	ON	2008/02/22 23:39
L5	1	("702"/$.ccls. "703"/$.ccls. "348"/$.ccls. "349"/$.ccls. "73"/$.ccls. "324"/$.ccls. "700"/$.ccls. "714"/$.ccls. "716"/$.ccls.) and ((creat$3 with good with part) and (creat$3 with defect $3 with parts) and (test$3 with part with unknown with defect) and (vector with component) and	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 23:39

		(product$3 with probability)).clm.				
L6	1	("702"/$.ccls. "703"/$.ccls. "348"/$.ccls. "349"/$.ccls. "73"/$.ccls. "324"/$.ccls. "700"/$.ccls. "714"/$.ccls. "716"/$.ccls.) and ((creat$3 with good with part) and (creat$3 with defect $3 with parts) and (test$3 with part with unknown with defect) and (vector with component) and (product$3 with probability).clm.	US-PGPUB	OR	ON	2008/02/22 23:40
L7	1	("702"/$.ccls. "703"/$.ccls. "348"/$.ccls. "349"/$.ccls. "73"/$.ccls. "324"/$.ccls. "700"/$.ccls. "714"/$.ccls. "716"/$.ccls.) and (creat$3 with good with part) and (creat$3 with defect $3 with parts) and (creat$3 with difference with vector) and (identify $3 with vector with component) and (product$3 with probability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 23:41
L8	1	("702"/$.ccls. "703"/$.ccls. "348"/$.ccls. "349"/$.ccls. "73"/$.ccls. "324"/$.ccls. "700"/$.ccls. "714"/$.ccls. "716"/$.ccls.) and (creat$3 with good with part) and (creat$3 with defect $3 with parts) and (creat$3 with difference with vector) and (identify $3 with vector with component) and (product$3 with probability)	US-PGPUB	OR	ON	2008/02/22 23:42

L9	1	("702"/$.ccls. "703"/$.ccls. "348"/$.ccls. "349"/$.ccls. "73"/$.ccls. "324"/$.ccls. "700"/$.ccls. "714"/$.ccls. "716"/$.ccls.) and ((creat$3 with good with part) and (creat$3 with defect $3 with parts) and (creat$3 with difference with vector) and (identify $3 with vector with component) and (product$3 with probability)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 23:42
L10	1	("702"/$.ccls. "703"/$.ccls. "348"/$.ccls. "349"/$.ccls. "73"/$.ccls. "324"/$.ccls. "700"/$.ccls. "714"/$.ccls. "716"/$.ccls.) and ((creat$3 with good with part) and (creat$3 with defect $3 with parts) and (creat$3 with difference with vector) and (identify $3 with vector with component) and (product$3 with probability)).clm.	US-PGPUB	OR	ON	2008/02/22 23:43
S1	1	10/772876	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:39
S2	2	(defect$3 with physical with propert $3) and (magnitude with vibrat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:45

S3	1	S2 and (computer processor (data with process$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:44
S4	1	S2 and (computer processor microcomputer CPU microprocessor (data with process$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:44
S5	1	(defect$3 with physical with propert $3) and ((magnitude with vibrat$3) (analy $3 with vibrat$3 with frequency)) and (computer processor microcomputer CPU microprocessor (data with process$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:48
S6	10	(defect$3 with part) and (physical with propert$3) and ((magnitude with vibrat$3) (analy$3 with vibrat$3 with frequency)) and (computer processor microcomputer CPU microprocessor (data with process$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 18:08
S7	5	(defect$3 with part) and (physical with propert$3) and (good with part with array) and (defect$3 with array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:59
S8	5	(defect$3 with parts) and (physical with propert$3) and (good with part with array) and (defect$3 with array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:01

S9	1	(defect$3 with parts) and (test$3 with part) and (physical with propert$3) and (good with part with array) and (defect$3 with array) and vibrat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 18:57
S10	1	(defect$3 with parts) and (probability with test$3 with part) and (physical with propert$3) and (part with array) and (defect$3 with array) and vibrat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:03
S11	25	(defect$3 with parts) and (test$3 with part) and (physical with propert$3) and (product$3 with probability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 15:58
S12	0	S11 and (vector with function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 16:06
S13	1	S11 and (vector with defect)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 15:55
S14	1	(defect$3 with parts) and (test$3 with part) and (vector with defect) and (product$3 with probability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 15:55
S15	4	(test$3 with part) and (vector with defect) and (product $3 with probability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 18:06

S16	1	(defect$3 with parts) and (test$3 with part) and (defect with powertrain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 16:01
S19	783	(defect$3 with parts) and (test$3 with part) and (vector with component)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 20:27
S20	3	(defect$3 with parts) and (test$3 with part) and (vector with component) and (vibrat$6 with magnitude)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 16:03
S21	3	S11 and (vector with component)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 16:06
S22	1	(test$3 with part) and (vector with defect) and (product $3 with probability) and (automobile vehicle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 18:07
S23	1	(vector with defect) and (product$3 with probability) and (defect with array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 18:08
S24	59	(product$3 with probability) and (defect with array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 18:08

S25	1	S24 and (defect$3 with part) and ((magnitude with vibrat$3) (analy$3 with vibrat$3 with frequency)) and (computer processor microcomputer CPU microprocessor (data with process$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 18:10
S26	1	S24 and (defect$3 with part) and ((magnitude with vibrat$3) (analy$3 with vibrat$3 with frequency))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 18:09
S27	15	S24 and (defect$3 with part) and (computer processor microcomputer CPU microprocessor (data with process$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 18:48
S28	1	S24 and ((magnitude with vibrat$3) (analy $3 with vibrat$3 with frequency)) and (computer processor microcomputer CPU microprocessor (data with process$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 18:10
S29	7	S24 and (defect$3 near2 part)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 18:49
S30	1	("702"/$.ccls. "703"/ $.ccls. "348"/$.ccls. "349"/$.ccls. "73"/$. ccls. "324"/$.ccls. "700"/$.ccls. "714"/$. ccls. "716"/$.ccls.) and (defect$3 with parts) and (test$3 with part) and (physical with propert $3) and (good with part with array) and (defect$3 with array) and vibrat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 20:24

S31	1	("702"/$.ccls. "703"/$.ccls. "348"/$.ccls. "349"/$.ccls. "73"/$.ccls. "324"/$.ccls. "700"/$.ccls. "714"/$.ccls. "716"/$.ccls.) and (defect$3 with parts) and (test$3 with part) and (physical with propert$3) and (good with part with array) and (defect$3 with array) and vibrat$3	US-PGPUB	OR	ON	2007/09/10 20:25
S32	1	("702"/$.ccls. "703"/$.ccls. "348"/$.ccls. "349"/$.ccls. "73"/$.ccls. "324"/$.ccls. "700"/$.ccls. "714"/$.ccls. "716"/$.ccls.) and (defect$3 with parts) and (test$3 with part) and (vector with defect) and (product$3 with probability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 20:29
S33	8	(defect$3 with parts) and (test$3 with part) and (vector with component) and (product$3 with probability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 20:27
S34	6	("702"/$.ccls. "703"/$.ccls. "348"/$.ccls. "349"/$.ccls. "73"/$.ccls. "324"/$.ccls. "700"/$.ccls. "714"/$.ccls. "716"/$.ccls.) and (defect$3 with parts) and (test$3 with part) and (vector with component) and (product$3 with probability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/10 20:36

| S35 | 1 | ("702"/$.ccls. "703"/$.ccls. "348"/$.ccls. "349"/$.ccls. "73"/$.ccls. "324"/$.ccls. "700"/$.ccls. "714"/$.ccls. "716"/$.ccls.) and (defect$3 with parts) and (test$3 with part) and (vector with component) and (product$3 with probability) and (defect near2 array) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/10 20:36 |

2/22/2008 11:43:47 PM

C:\ Documents and Settings\ jle\ My Documents\ EAST\ Workspaces\ 10772876.wsp